TÜVRheinland®
Precisely Right.

P H O T O D O C U M E N T A T I O N

CN2291L1 001

for

Power supply

YSD15S-xxxyyyy

(xxx=050 to 480, in step of 1, yyyy=0100 to 2500, in step of 10)

Ninghai Yingjiao Electrical Co., Ltd.




This documentation consists of 10 pages (excluding this cover page)


Photo Documentation

Report Number: CN2291L1 001

Model: YSD15S-xxxyyyy



Over view
(YSD15S-4800310)



Over view
(YSD15S-4800310)




Bottom view
(YSD15S-4800310)



Side view
(YSD15S-4800310)




Top view
(YSD15S-4800310)




Side view
(YSD15S-4800310)




Internal view
(YSD15S-4800310)




PCB view
(YSD15S-4800310)




PCB view
(YSD15S-4800310)




PCB view
(YSD15S-4800310)




Over view
(YSD15S-0602500)




Over view
(YSD15S-0602500)




PCB view
(YSD15S-0602500)




PCB view
(YSD15S-0602500)




PCB view
(YSD15S-0602500)




Transformer view



Transformer view




Transformer view



Transformer view




Transformer view




Transformer view

Primary winding




Transformer view

Primary winding




Transformer view

Triple insulated wire used as secondary winding



Transformer view

Primary winding



Transformer view

Bobbin